

Запасные части и аксессуары

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59



Киргизия +996(312)96-26-47

эл.почта: fdf@nt-rt.ru || сайт: <https://foster.nt-rt.ru/>


heating elements

heating elements for refrigeration

heating elements for defrosting




heating elements for condensate evaporation



heating cables

drain heating cables




thermostats

refrigeration thermostats



RANCO

K50 series




switches and momentary switches


28x22mm


¹illuminated

30x22mm



accessories for 301003





magnetic switches

miscellaneous



1

Part No.	347629	Ref. No.	16240122
description	magnetic switch 250V 1NO connection plug L 800mm		

encoders and potentiometers




1

Part No.	403521	Ref. No.	00-555396
description	encoder shaft L 15mm		

alarm devices

loudspeakers



1

Part No.	350226	Ref. No.	064S01
description	loudspeaker ø 64mm built-in depth 20mm 500hm 0.3W connection male faston 2.8mm		

electronic controllers

refrigeration controllers

built-in version



1

Part No.	378495	Ref. No.	16250407
description	electronic controller ELIWELL type ID961LX mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 1 CO-8A(3) NTC/PTC DI built-in depth 59mm protection IP65 yes display 3 digits		

LAE

refrigeration controllers

built-in version



1

Part No.	381376	Ref. No.	00556122
description	electronic controller LAE type 00-556122 mounting measurements 26x48mmV voltage relay outputs FOSTER front measurements 65x31.5mm built-in depth 50mm protection IP44 built-in version defr. funct. °C display		



1

Part No.	378489	Ref. No.	00-556223
description	electronic controller LAE type AT1-5BS6E-1FS mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 2 NO-16A(8) NO-7A(2) NTC/PTC NTC/PTC DI front measurements 77x35mm built-in depth 70mm protection IP55 yes -50 to +120°C display 3 digits		



1

Part No.	379764	Ref. No.	00-555848 00-556224 16270000
description	electronic controller LAE type AT2-5BS4E-AG mounting measurements 71x29mm 230V voltage AC NTC/PTC relay outputs 3 NO-16A(5) NO-7A(2) NO-7A(2) NTC/PTC NTC/PTC DI front measurements 77x35mm built-in depth 70mm protection IP55 accuracy 1% built-in version yes -50 to +120°C display 3 digits		

accessories for 379764

Part No.	379780	Ref. No.	—
temperature probe NTC 10kOhm cable TPE probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 1.5m without screw connection			
Part No.	379781	Ref. No.	—
temperature probe PTC 1kOhm cable thermoplastic probe -50 up to +150°C cable -40 up to +110°C probe ø6x14mm cable length 1.5m without screw connection 2-wire			



built-in version 2-piece



1

Part No.	378450	Ref. No.	16240105
description	keypad unit LAE type LCD5-S mounting measurements 71x29mm built-in depth 20mm display 3 digits		
spare parts for 378450			
	Part No.	403459	Ref. No. —
connection cable LAE type FC06-20M01			
accessories for 378450			
	Part No.	378253	Ref. No. —
load module LAE type BD1-28C1S5W-B mounting measurements 107x95x47mm 230V voltage AC NTC relay outputs 5 NO-16A(12) NO-16A(4) NO-16A(4) NO-7A(2) NO-7A(2) NTC NTC DI DI built-in depth 47mm protection IP40 yes yes -50 to +120°C display			
	Part No.	403458	Ref. No. —
load module LAE type BIT25B1S3E-A mounting measurements 88x85mm 230V voltage AC NTC relay outputs 3 NO-20A(8) NO-16A(4) NO-7A(2) NTC NTC DI DI front measurementsmm built-in depth 40mm protection IP55 yes yes -50 up to +110°C display			
	Part No.	403459	Ref. No. —
connection cable LAE type FC06-20M01			



1

Part No.	379771	Ref. No.	00-555992
description	keypad unit LAE type LCD5-S mounting measurements 71x29mmV voltage relay outputs front measurements 77x35x20mm built-in depth 20mm protection IP55°C display 3 digits		
accessories for	379771		
	Part No.	378253	Ref. No. —
	load module LAE type BD1-28C1S5W-B mounting measurements 107x95x47mm 230V voltage AC NTC relay outputs 5 NO-16A(12) NO-16A(4) NO-16A(4) NO-7A(2) NO-7A(2) NTC NTC DI DI built-in depth 47mm protection IP40 yes yes -50 to +120°C display		
	Part No.	403458	Ref. No. —
	load module LAE type BIT25B1S3E-A mounting measurements 88x85mm 230V voltage AC NTC relay outputs 3 NO-20A(8) NO-16A(4) NO-7A(2) NTC NTC DI DI front measurementsmm built-in depth 40mm protection IP55 yes yes -50 up to +110°C display		
	Part No.	403459	Ref. No. —
	connection cable LAE type FC06-20M01		



1

Part No.	403413	Ref. No.	00555739 00-555920 00-556225
description	power PCB LAE type LF28B2S3E-1FS mounting measurements 104x91mm 230V voltage AC NTC relay outputs 3 NO-20A(6) NO-12A(4) NO-7A(2) NTC NTC DI DI front measurements 105x63mm builtin depth 45mm protection IP2x -50 up to +80°C display		
accessories for 403413			
	Part No.	379771	Ref. No. 00-555992
	keypad unit LAE type LCD5-S mounting measurements 71x29mmV voltage relay outputs front measurements 77x35x20mm built-in depth 20mm protection IP55°C display 3 digits		
	Part No.	379784	Ref. No. —
	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x35mm cable length 2m without screw connection 2-wire resistor 2kOhm		
	Part No.	403459	Ref. No. —
	connection cable LAE type FC06-20M01		



1

Part No.	379498	Ref. No.	00-555206
description	electronic controller LAE type SMD12RU20 mounting measurements 71x29mm display 3 digits		

miscellaneous

refrigeration controllers



1

Part No.	403414	Ref. No.	00-554478
description	electronic controller FOSTER mounting measurements 160x120x55mm		



probes

universal probes

temperature probes



Part No.	378454	Ref. No.	00-556293
description	temperature probe NTC 2kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x28mm cable length 2.5m 2-wire		



Part No.	378453	Ref. No.	00-555124
description	temperature probe NTC 10kOhm cable thermoplastic probe -40 up to +110°C cable -40 up to +110°C probe ø6x14mm cable length 7m 2-wire		

producer-specific probes

probes



Part No.	378451	Ref. No.	00-554473 00-554474
description	surface probe PTC 1kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C connection plug thread probe ø6x35mm cable length 1.5m		

core probes



Part No.	378452	Ref. No.	00-554451
description	core temperature probe NTC 2kOhm cable PVC probe -40 up to +120°C cable -10 up to 100°C connection 2-wire probe ø6x155mm thread cable length 1.5m handle ømm handle length 50mm		

electronics

PCBs



1

Part No.	403569	Ref. No.	01-275719-01
description	display L 140mm W 65mm type FD1-11/14		



1

Part No.	360624	Ref. No.	00-555395
description	PCB blast freezer RBC20-60 L 185mm W 135mm suitable for FOSTER 115/230V		



1

Part No.	361932	Ref. No.	00-556242
description	PCB refrigerators and refrigerator-freezers EPRO/EPREM L 100mm W 90mm suitable for FOSTER		

central units



1

Part No.	403568	Ref. No.	16251036
description	control box L 195mm W 140mm type FD1-14		



keypads

keypad units

			
1			
Part No.	403519	Ref. No.	00-554477
description	keypad freezer FST-FCC-DE2 buttons 4 cable length 2x1000mm suitable for FOSTER L 118mm W 68mm		

			
1			
Part No.	403520	Ref. No.	15247078
description	keypad unit blast freezer blast freezer buttons 6 suitable for FOSTER L 445mm W 112mm		

			
1			
Part No.	403517	Ref. No.	00-556020
description	keypad unit freezer FST-FCC-DE2 buttons 1 W ø80mm		

solenoid valves

solenoid valves (refrigeration)

CASTEL

valve bodies

STANDARD series

suitable for refrigerants R22, R134a, R404A, R407C, R410A, R507

1

Part No.	370382	Ref. No.	19863034
description	solenoid valve body NC type 1028/M10S p max 45bar connection 10mm soldering connection DN 3mm -35 up to +105°C L 125mm refrigeration straight CASTEL		
accessories for	370382		
	Part No.	Ref. No.	—
solenoid coil CASTEL 230VAC 8VA 50/60Hz connection cable 1000mm type CM2			

accessories for 370382				
	Part No.	371090	Ref. No.	—
power socket plug type DIN 43650A screw				
	Part No.	371301	Ref. No.	—
solenoid coil CASTEL 110VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2				
	Part No.	371314	Ref. No.	—
solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm				
	Part No.	371321	Ref. No.	—
solenoid coil CASTEL 12/24VAC 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2				

compressors

ACC/ZEL

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C

			
1			
Part No.	605008	Ref. No.	00-555464
description	compressor coolant R134a type GL80TB 220-240V 50Hz HMBP fully hermetic 9.5kg 1/5HP power input 554W cylinder capacity 7.6cm³ CSIR H 175.5mm 165W 215W 290W 390W 500W 615W 727W 840W test method ASHRAE ambient temperature max. 43°C		

			
1			
Part No.	605009	Ref. No.	00-555665
description	compressor coolant R134a type GL90TB 220-240V 50Hz HMBP fully hermetic 10.8kg 1/4HP power input 293W cylinder capacity 8.8cm³ CSIR H 175.5mm 143W 194W 259W 339W 432W 539W 661W 796W test method ASHRAE		



R404a/R507

LBP monophase

Lower evaporation temperature below -20°C



1

Part No.	605127	Ref. No.	00-555681
description	compressor coolant R404a/R507 type MX18FB 220-240V 50Hz LBP 17.3kg 5/8HP cylinder capacity 18.4cm ³ CSR H 230mm 575W 750W 985W 1219W 1498WWWWWW test method ASHRAE ambient temperature max. 43°C		

CUBIGEL

R404a/R507

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

Part No.	605013	Ref. No.	00-555671
description	compressor coolant R404a/R507 type ML60TB 220-240V 50Hz HMBP fully hermetic 10.1kg 1/4HP power input 647W cylinder capacity 5.68cm ³ CSIR H 175.5mmW 244W 319W 407W 511W 628W 760W 906W 1067W test method ASHRAE		

EMBRACO / ASPERA

R290A

LBP monophase

Lower evaporation temperature below -20°C



1

Part No.	605214	Ref. No.	00-556305
description	compressor coolant R290 type NEK2150U 220/240V 50Hz LBP 11.6kg 1/2HP cylinder capacity 13.54cm ³ CSIR H 206mm 403W 515W 650W 804W 979WWWWWW		



1

Part No.	605243	Ref. No.	00-570193
description	compressor coolant R290 type NEU2155U 220-240V 50Hz LBP 11.2kg 3/4HP cylinder capacity 13.54cm ³ CSIR H 190mm 463W 744W 916W 1110WWWWWW test method ASHRAE		

R404a/R507

LBP monophase

Lower evaporation temperature below -20°C



1

Part No.	605144	Ref. No.	00-556388
description	compressor coolant R404a/R507 type NEK2168GK 220-240V 50Hz LBP 22.9kg 3/4HP cylinder capacity 14.28cm ³ CSR H 200mm 345W 454W 587W 742W 921W 1123WWWWWW		

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

Part No.	605132	Ref. No.	00-556380	
description	compressor coolant R404a/R507 type NT6222GK 200-240V 50Hz HMBP fully hermetic 17kg 1HP cylinder capacity 17.39cm³ CSR H 252mmW 810W 1032W 1040W 1174W 1307W 1583W 2247W test method ASHRAE			
accessories for 605132				
	Part No.	365142	Ref. No.	—
	operating capacitor capacity 15µF 450V with metal case tolerance 5% 50/60Hz ø 40mm L 110mm M8x1.25			
	Part No.	365153	Ref. No.	—
	starting capacitor 52µF 330V 50/60Hz duty cycle 3s 41280A133 2252347 ø 36mm L 83mm M8 plastic connection cable 350mm			
	Part No.	390981	Ref. No.	—
	klixon suitable for NT6222GK			

L'UNITE HERMETIQUE / TECUMSEH
R134A
HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

Part No.	605137	Ref. No.	15422024
description	compressor coolant R134a type AEZ4430Y 220-240V 50Hz HMBP fully hermetic 10.2kg 1/4HP power input 330W cylinder capacity 8.8cm³ CSIR H 199mmWW 245W 328W 432W 558W 698WW		

R404A
LBP monophase

Lower evaporation temperature below -20°C



1

Part No.	605157	Ref. No.	00-554691
description	compressor coolant R404A type CAJ2428Z 220-240V 50Hz LBP 21kg 5/8HP cylinder capacity 15.2cm³ CSR H 271mm 434W 589W 773W 991W 1246WWWWWW		



1

Part No.	605238	Ref. No.	00-554685
description	compressor coolant R404A type CAJ2432Z 220-240V 50Hz LBP 21.5kg 5/8HP cylinder capacity 18.3cm³ CSR H 271mm 542W 738W 971W 1247W 1567WWWWWW test method EN 12900 ambient temperature max. 32°C		

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

Part No.	605025	Ref. No.	00-599646
description	compressor coolant R404A type AE4430Z-FZ 220-240V 50Hz HMBP fully hermetic 10.2kg 1/4HP power input 427W cylinder capacity 5.7cm³ CSIR H 186mmWW 258W 346W 441W 550W 682W 794W test method EN 12900 908W		

spare parts for 605025			
	Part No.	380061	Ref. No. —
	start relay MTRP0027-31 120/240V voltage AC 8A 1NO		



fans

refrigeration fans

refrigeration motors universal

miscellaneous




1

Part No.	601994	Ref. No.	15870041
description	fan motor 10W 240V 50Hz cable length 200mm FASCO AE1E5781K with capacitor bearing slide bearing		

accessories

fan wheels

aluminium



1

Part No.	601998	Ref. No.	15871021
description	fan wheel blowing ø 250mm fan wheel mounting 25.4mm blade angle 22° W 35mm aluminium		

cooling motors (complete)



1

Part No.	601997	Ref. No.	16250730
description	fan 230V 35W 50/60Hz fan wheel ø 220mm connection 3-wire cable length 1500mm 1300/1550rpm		



1

Part No.	605021	Ref. No.	15422012
description	compressor coolant R404a type AEZ4425Z 220-240V 50Hz HMBP fully hermetic 9.8kg 1/5HP cylinder capacity 4.5cm³ CSIR H 186mmWW 198W 263W 341W 432W 537W 629W test method EN 12900 723W		



1

Part No.	605065	Ref. No.	00-554470
description	compressor coolant R404A type CAJ4519Z 220-240V 50Hz HMBP 24kg 1.5HP cylinder capacity 34.4cm³ CSR H 282mmWW 1769W 2353W 3009W 3756W 4360W 5200W		

SECOPI DANFOSS

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

Part No.	605077	Ref. No.	00-556062
description	compressor coolant R134a type SC15G 220-240V 50Hz HMBP fully hermetic 13.1kg 3/8HP cylinder capacity 15.3cm³ CSIR H 203mmW 203W 358W 523W 703W 901W 1124W 1377W 1665W test method ASHRAEW 1993W		

spare parts for 605077



Part No.	365062	Ref. No.	—
starting capacitor 80µF 220/300V 50/60Hz duty cycle 3min/1min ø 38mm L 98mm plastic connection cable 100mm			



Part No.	380078	Ref. No.	—
start relay DANFOSS 117U6005 HST			





1

Part No.	601996	Ref. No.	00-555495 00-570082 15470027
description	fan 230V 75W 50/60Hz fan wheel ø 250mm connection 3-wire cable length 1500mm 1300/1550rpm		





1

Part No.	602007	Ref. No.	00-599687
description	fan fan wheel ø 200mm 230V 50/60Hz 10W ø 250mm 1300/1550rpm connection 3-wire cable length 2000mm ELCO sucking		

cold air circulating fans (complete)

ebm-papst

A4E series

1

Part No.	601995	Ref. No.	00-554366
description	fan A4E300-AR26-16 fan wheel ø 300mm blades 5 230V 50Hz 70/95W 1380/1570rpm cable length 1400mm ebm-papst sucking		



1

Part No.	602008	Ref. No.	00-556010 00-570062 00-570202
description	fan fan wheel ø 200mm 230V 50/60Hz 10W ø 250mm 1400rpm connection 2-wire cable length 2000mm ELCO blowing		

hot air fans

ebm-papst




1

Part No.	602006	Ref. No.	00-554617
description	fan fan wheel ø 200mm 230V 50/60Hz 10W ø 250mm 1300/1550rpm connection 3-wire cable length 2000mm ELCO blowing		



1



Part No.	601999	Ref. No.	00-554022
description	hot air fan 240V 28W 0.1A L1 65mm L2 17mm L3 28mm L4 157mm fan wheel ø 150mm ebm-papst type R2K150-AA03-10		



accessories universal



1

Part No.	521075	Ref. No.	15872071
description	fanwheel cover L 350mm W 350mm hole distance 265mm		

equipment-specific units

housing and bezels

covers



1

Part No.	692562	Ref. No.	15350021
description	cover for pull handle L 295mm W 25mm plate thickness max. 3mm plastic Qty 1 pcs		

handles and hand wheels



1

Part No.	690448	Ref. No.	15230221
description	pull handle L 402mm H 42mm mounting distance 375mm		

recessed handles



1

Part No.	698553	Ref. No.	01-230376-01
description	door handle L 115mm W 55mm H 18mm mounting distance 60mm SS		

locks

locking devices

producer-specific

FOSTER



1

Part No.	692553	Ref. No.	16230046
description	key cylinder kit		



1


Part No.	692211	Ref. No.	15230366
description	locking device mounting distance 38mm		



hinges

edgemount hinges

CHG



1

Part No.	690296	Ref. No.	00-555851
description	edgemount hinge L 146mm W 31mm mounting distance 27/27mm hinging left/right with gradient L1 45mm series R50		

accessories for 690296



Part No.	345323	Ref. No.	—
microswitch with lever 250V 10A 1CO connection male faston ambient temperature max. 105°C			

spring assisted hinges

producer-specific

FOSTER



1

Part No.	701460	Ref. No.	15230508
description	spring assisted hinge series FOSTER chrome-plated, polished L 136mm W 24mm door hinge left mounting distance 25mm metal		

accessories for 701460



Part No.	701459	Ref. No.	15230509
spring assisted hinge series FOSTER chrome-plated, polished L 136mm W 24mm door hinge right mounting distance 25mm metal			



1

Part No.	701459	Ref. No.	15230509
description	spring assisted hinge series FOSTER chrome-plated, polished L 136mm W 24mm door hinge right mounting distance 25mm metal		

accessories for 701459



Part No.	701460	Ref. No.	15230508
spring assisted hinge series FOSTER chrome-plated, polished L 136mm W 24mm door hinge left mounting distance 25mm metal			

door bearing



1

Part No.	692552	Ref. No.	15230498
description	hinge bearing L 76mm W 24mm mounting distance 25.5mm shaft ø 7mm Qty 1 pcs		



1

Part No.	692555	Ref. No.	15230501
description	spring assisted hinge L 75mm W 25mm H 110mm mounting pos. upper and bottom Qty 2 pcs		

pullouts

drawer slides



1

Part No.	692561	Ref. No.	15230674
description	telescopic slide pair Qty 1 pair pcs L 550mm pull-out length 400mm SS		

shelves and shelf rails

universal

without upstand



1

Part No.	970712	Ref. No.	15271429
description	grate W 325mm D 530mm GN 1/1 H 11mm plastic-coated steel wire gauge frame 9mm lengthwise wires gauge 4mm crossing wires 1 grey		



1 			
Part No.	970871	Ref. No.	15271430
description	grate W 650mm D 530mm GN 2/1 plastic-coated steel wire gauge frame 9mm lengthwise wires gauge 3.7mm crossing wires 1 grey		

with upstand

1 			
Part No.	970873	Ref. No.	15271425
description	grate W 650mm D 530mm GN 2/1 H 41mm plastic-coated steel wire gauge frame 9mm lengthwise wires gauge 3.7mm crossing wires 1 grey		

shelf rails and supports

universal

1 			
Part No.	690332	Ref. No.	00-556005
description	shelf support L 31/28mm W 22mm H 17mm SS with hook Qty 1 pcs		
accessories for 690332			
	Part No.	690330	Ref. No. —
	rack L 1000mm W 22mm H 4mm aperture 3x8mm hole distance 12.5mm stainless steel		

producer-specific

1 			
Part No.	692559	Ref. No.	00-745543-01
description	guide U-shape L 479mm W 25mm mounting pos. left/right inner high 12mm		

1 			
Part No.	692558	Ref. No.	00-745542-01
description	guide U-shape L 580mm W 24mm H 12mm mounting pos. left/right		

1 			
Part No.	692557	Ref. No.	01-233197-01
description	guide U-shape L 610mm W 25mm H 12mm mounting pos. left/right		

1 			
Part No.	692560	Ref. No.	01-272911-01
description	guide U-shape L 636mm W 25mm mounting pos. left/right inner high 12mm		

1 			
Part No.	692554	Ref. No.	01.255900-01
description	shelf support L 35/25mm W 19mm H 25mm SS Qty 1 pcs		


gaskets

refrigeration gaskets

plug-in gaskets


profile 9703

We offer custom-made gaskets for this profile


1 			
Part No.	901663	Ref. No.	01-257028-01 15212214
description	refrigeration gasket profile 9703 W 595mm L 1515mm plug size		

**profile 9195**


We offer custom-made gaskets for this profile




Part No.	901880	Ref. No.	01-231715-01
description	refrigeration gasket profile 9195 W 156mm L 379mm plug size		




Part No.	901747	Ref. No.	01-231711-01
description	refrigeration gasket profile 9195 W 375mm L 610mm plug size		




Part No.	901886	Ref. No.	01-231720-01
description	refrigeration gasket profile 9195 W 520mm L 685mm plug size		




Part No.	901887	Ref. No.	01-232852-01
description	refrigeration gasket profile 9195 W 573mm L 1117mm plug size		




Part No.	901884	Ref. No.	01-232996-01
description	refrigeration gasket profile 9195 W 573mm L 351mm plug size		




Part No.	901336	Ref. No.	01-231709-01
description	refrigeration gasket profile 9195 W 595mm L 1525mm plug size		



Part No.	901363	Ref. No.	01-231704-01
description	refrigeration gasket profile 9195 W 595mm L 721mm plug size		




Part No.	901882	Ref. No.	01-231707-01
description	refrigeration gasket profile 9195 W 598mm L 1216mm plug size		



Part No.	901888	Ref. No.	01-232251-01
description	refrigeration gasket profile 9195 W 600mm L 684mm plug size		

profile 9171

We offer custom-made gaskets for this profile



Part No.	901770	Ref. No.	15210777
description	refrigeration gasket profile 9171 W 278mm L 406mm plug size for drawer		



Part No.	901287	Ref. No.	15211775
description	refrigeration gasket profile 9171 W 390mm L 625mm plug size		

Part No.	901883	Ref. No.	15210783
description	refrigeration gasket profile 9171 W 496mm L 526mm plug size		

Part No.	901771	Ref. No.	15210778
description	refrigeration gasket profile 9171 W 406mm L 164mm plug size for drawer		

Part No.	901889	Ref. No.	15211805
description	refrigeration gasket profile 9171 W 508mm L 712mm plug size		

Part No.	901421	Ref. No.	15210775
description	refrigeration gasket profile 9171 W 410mm L 620mm plug size		

Part No.	901890	Ref. No.	15210737
description	refrigeration gasket profile 9171 W 526mm L 1420mm plug size		

Part No.	901665	Ref. No.	15211800
description	refrigeration gasket profile 9171 W 422mm L 593mm plug size		


Part No.	901199	Ref. No.	15210764
description	refrigeration gasket profile 9171 W 550mm L 1344mm plug size		

Part No.	901772	Ref. No.	15210779
description	refrigeration gasket profile 9171 W 474mm L 523mm plug size		


Part No.	901395	Ref. No.	15211731
description	refrigeration gasket profile 9171 W 585mm L 1555mm plug size		

Part No.	901633	Ref. No.	15210780
description	refrigeration gasket profile 9171 W 480mm L 730mm plug size		


Part No.	901664	Ref. No.	15211734
description	refrigeration gasket profile 9171 W 585mm L 745mm plug size		




Part No.	901184	Ref. No.	15211732
description	refrigeration gasket profile 9171 W 595mm L 1310mm plug size		




Part No.	901420	Ref. No.	15210770
description	refrigeration gasket profile 9171 W 610mm L 620mm plug size		




Part No.	901773	Ref. No.	15211794
description	refrigeration gasket profile 9171 W 615mm L 495mm plug size		




Part No.	901885	Ref. No.	15211770
description	refrigeration gasket profile 9171 W 621mm L 587mm plug size		




Part No.	901748	Ref. No.	15211789
description	refrigeration gasket profile 9171 W 730mm L 1540mm plug size for fridge		



Part No.	901419	Ref. No.	15210767
description	refrigeration gasket profile 9171 W 730mm L 1790mm plug size		



Part No.	901422	Ref. No.	15211751
description	refrigeration gasket profile 9171 W 770mm L 1830mm plug size		



Part No.	902270	Ref. No.	N/A
description	refrigeration gasket profile 9171 Wmm L 2500mm		

door seal rails




Part No.	901892	Ref. No.	00-879086-01
description	gasket support L 40mm W 1490mm grey		



Part No.	901891	Ref. No.	00.879085-01
description	gasket support L 40mm W 570mm grey		

special gaskets

miscellaneous



Part No.	512422	Ref. No.	01-231852-16
description	thermal break suitable for FOSTER L 580mm W 360mm size kit metal thickness 1mm		



refrigeration cycle

components

expansion valves

DANFOSS

valves

type TS2/TES2



1

Part No.	750530	Ref. No.	81453620/0
description	expansion valve DANFOSS type TS2 coolant R404a/R507 angled nozzle 068-2006 inlet 3/8" SAE outlet 1/2" SAE p max 34bar -30 up to +10°C capillary pipe 1500mm		

filter driers

GMC



1

Part No.	750086	Ref. No.	19300357/0
description	dryer type SC032S connection ODF 1/4"-ODM 3/8" 50cm³ p max 45bar -40 up to +80°C 261g total length 95mm ø 57.5mm		

miscellaneous



1

Part No.	750501	Ref. No.	15480908
description	dryer ø 17.5mm L 110mm connection 8,2/7,7mm Qty 1 pcs		

evaporators

for fridges

producer-specific



1

Part No.	750503	Ref. No.	00-878253-02
description	evaporator L 550mm W 200mm H 70mm suitable for FOSTER		



1

Part No.	750504	Ref. No.	15463031 F15463031
description	evaporator L 700mm W 250mm H 190mm suitable for FOSTER		

evaporation and condensing trays



1

Part No.	750502	Ref. No.	15271004
description	condensing tray L 258mm W 136mm H 60.5mm plastic		

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: fdf@nt-rt.ru || сайт: <https://foster.nt-rt.ru/>