

Компактные холодильные/морозильные шкафы FSL400G, FSL400L

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: fdf@nt-rt.ru || сайт: <https://foster.nt-rt.ru/>



FSL400G: 400 Ltr Slimline Cabinet Refrigerator

Single glass door refrigerator cabinet

About the product

Slimline Cabinets from the Refrigeration Experts: slender design, big performance.

11-310

Why choose this product

- When space is a prime concern Slimline cabinets provide the ideal storage solution
- Fitted with Foster's revolutionary +stayclear condenser as standard, reducing the need for disruptive site maintenance and offering incredible efficiencies
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- Updated white LED electronic temperature display for accurate control and clear visual reference
- Keep produce safe while the kitchen is closed with door locks as standard
- Easy-wipe dished liner base means split liquids will pool at the centre of the base, avoiding getting into any joins
- Full length door handle makes the Slimline easier to open
- High quality 304 grade stainless steel finish is food safe and hard wearing
- Stainless steel exterior finish with 304 stainless steel door provides a durable product suitable for tough kitchen usage
- This glass door model uses energy efficient LED lighting to enhance the display of stored products
- Slender design, big performance! High quality forced air refrigeration system.

Specification

Technical

Refrigerant	R290
Temperature	Refrigerator +1/+4°C
Electrical supply	230/50/1
Fuse rating (A)	10
Current (A)	1
Power (W)	200
Refrigerant mass (g)	90

Dimensions

Height (mm)	1910
Width (mm)	600
Depth (mm)	715
Gross volume (ltr)	400
Net volume (ltr)	267.8
Leg type	Castors
Gross weight (kg)	120
Net weight (kg)	111

Build

Cabinet type	Standard , Glass
Door material	Glass
Finish ext/int	S/S & Alu
Number of sections	1
Section configuration	Right hinge
System	Integral

Energy

Climate Class	3
Energy grade	B
EEI	15
AEC (kWh)	777
GWP	3
Min - max temperature (°C)	-1/5
Energy consumption (kWh/24hr)	2.13

Footnotes

- Glass door model is only available with legs.



FSL400G: 400 Ltr Slimline Cabinet Refrigerator

11-307

Single glass door refrigerator cabinet

About the product

Slimline Cabinets from the Refrigeration Experts: slender design, big performance.

Why choose this product

- When space is a prime concern Slimline cabinets provide the ideal storage solution
- Fitted with Foster's revolutionary +stayclear condenser as standard, reducing the need for disruptive site maintenance and offering incredible efficiencies
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- Updated white LED electronic temperature display for accurate control and clear visual reference
- Keep produce safe while the kitchen is closed with door locks as standard
- Easy-wipe dished liner base means split liquids will pool at the centre of the base, avoiding getting into any joins
- Easy access pocket door handles give speed and efficiency in a busy kitchen environment
- Stainless steel exterior finish with 304 stainless steel door provides a durable product suitable for tough kitchen usage
- Slender design, big performance! High quality forced air refrigeration system.

Specification

Technical

Refrigerant	R290
Temperature	Refrigerator +1/+4°C
Electrical supply	230/50/1
Fuse rating (A)	10
Current (A)	1
Power (W)	200
Refrigerant mass (g)	90

Dimensions

Height (mm)	1910
Width (mm)	600
Depth (mm)	715
Gross volume (ltr)	400
Net volume (ltr)	267.8
Leg type	Castors
Gross weight (kg)	120
Net weight (kg)	111

Build

Cabinet type	Standard , Glass
Door material	Glass
Finish ext/int	S/S & Alu
Number of sections	1
Section configuration	Left hinge
System	Integral

Energy

Climate Class	3
Energy grade	B
EEI	15
AEC (kWh)	777
GWP	3
Min - max temperature (°C)	-1/5
Energy consumption (kWh/24hr)	2.13



FSL400L: 400 Ltr Slimline Cabinet Freezer

Single door freezer cabinet

About the product

Slimline Cabinets from the Refrigeration Experts: slender design, big performance.

11-311

Why choose this product

- When space is a prime concern Slimline cabinets provide the ideal storage solution
- Fitted with Foster's revolutionary +stayclear condenser as standard, reducing the need for disruptive site maintenance and offering incredible efficiencies
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- Updated white LED electronic temperature display for accurate control and clear visual reference
- Keep produce safe while the kitchen is closed with door locks as standard.
- Easy-wipe dished liner base means split liquids will pool at the centre of the base, avoiding getting into any joins
- Easy access pocket door handles give speed and efficiency in a busy kitchen environment Stainless steel exterior finish with 304 stainless steel door provides a durable product suitable for tough kitchen usage
- Slender design, big performance! High quality forced air refrigeration system will operate up to 40°C (ISO Climate Class 5)

Specification

Technical

Refrigerant	R290
Temperature	Freezer -18/-21°C
Electrical supply	230/50/1
Fuse rating (A)	10
Current (A)	2.5
Power (W)	430
Refrigerant mass (g)	70

Dimensions

Height (mm)	1910
Width (mm)	600
Depth (mm)	700
Gross volume (ltr)	400
Net volume (ltr)	267.8
Leg type	Castors
Gross weight (kg)	104
Net weight (kg)	95

Build

Cabinet type	Standard
Door material	304 Stainless steel
Finish ext/int	S/S & Alu
Number of sections	1
Section configuration	Right hinge
System	Integral

Energy

Climate Class	5
Energy grade	F
EEL	92.46
AEC (kWh)	2581
GWP	3
Energy consumption (kWh/24hr)	7.072



FSL400L: 400 Ltr Slimline Cabinet Freezer

Single door freezer cabinet

About the product

Slimline Cabinets from the Refrigeration Experts: slender design, big performance.

11-315

Why choose this product

- When space is a prime concern Slimline cabinets provide the ideal storage solution
- Fitted with Foster's revolutionary +stayclear condenser as standard, reducing the need for disruptive site maintenance and offering incredible efficiencies
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- Updated white LED electronic temperature display for accurate control and clear visual reference
- Keep produce safe while the kitchen is closed with door locks as standard
- Easy-wipe dished liner base means split liquids will pool at the centre of the base, avoiding getting into any joins
- Easy access pocket door handles give speed and efficiency in a busy kitchen environment Stainless steel exterior finish with 304 stainless steel door provides a durable product suitable for tough kitchen usage
- Slender design, big performance! High quality forced air refrigeration system will operate up to 40°C (ISO Climate Class 5)

Specification

Technical

Refrigerant	R290
Temperature	Freezer -18/-21°C
Electrical supply	230/50/1
Fuse rating (A)	10
Current (A)	2.5
Power (W)	430
Refrigerant mass (g)	70

Dimensions

Height (mm)	1910
Width (mm)	600
Depth (mm)	700
Gross volume (ltr)	400
Net volume (ltr)	267.8
Leg type	Castors
Gross weight (kg)	104
Net weight (kg)	95

Build

Cabinet type	Standard
Door material	304 Stainless steel
Finish ext/int	S/S & Alu
Number of sections	1
Section configuration	Left hinge
System	Integral

Energy

Climate Class	5
Energy grade	F
EEI	92.46
AEC (kWh)	2581
GWP	3
Energy consumption (kWh/24hr)	7.072

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: fdf@nt-rt.ru || сайт: <https://foster.nt-rt.ru/>