

Холодильные шкафы XR1300H, XR415H, XR415G

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: fdf@nt-rt.ru || сайт: <https://foster.nt-rt.ru/>



XR1300H: 1300L Cabinet Refrigerator

33-210

Double door refrigerated cabinet

Why choose this product

- Supplied with side integrated door handles in lieu of recessed black plastic handles.
- Robust refrigeration at an affordable price
- Microprocessor controller provides simple and accurate temperature control to ensure your food retains its quality and texture
- Hard wearing stainless steel finish to the interior and exterior is stylish and practical
- In stock and available now for immediate shipping
- Full Foster warranty included

Specification

Technical

Refrigerant	R290
Temperature	Refrigerator +2/+8°C
Electrical supply	230/50/1
Fuse rating (A)	10
Current (A)	3.6
Power (W)	580
Refrigerant mass (g)	150
Thermal heat rejection (W)	510

Dimensions

Height (mm)	1985
Width (mm)	1390
Depth (mm)	850
Gross volume (ltr)	1300
Net volume (ltr)	880.54
Leg type	Braked castors
GN size	2/1
Gross weight (kg)	162
Net weight (kg)	147

Build

Cabinet type	Standard
Finish ext/int	304 S/S & 304 S/S
Number of sections	2
Section configuration	Left hinge-Right hinge
System	Integral

Energy

Climate Class	5
Energy grade	E
EEI	79.13
AEC (kWh)	1627
GWP	3
Energy consumption (kWh/24hr)	4.457



XR1300H: 1300L Cabinet Refrigerator

33-186

Double door refrigerator cabinet

Why choose this product

- Robust refrigeration at an affordable price
- Microprocessor controller provides simple and accurate temperature control to ensure your food retains its quality and texture
- Hard wearing stainless steel finish is stylish and practical
- In stock and available now for immediate shipping
- Full Foster warranty included

Specification

Technical		Dimensions	
Refrigerant	R290	Height (mm)	1985
Temperature	Refrigerator +2/+8°C	Width (mm)	1390
Electrical supply	230/50/1	Depth (mm)	850
Fuse rating (A)	10	Gross volume (ltr)	1300
Current (A)	3.6	Net volume (ltr)	880.54
Power (W)	580	Leg type	Braked castors
Refrigerant mass (g)	150	GN size	2/1
Thermal heat rejection (W)	510	Gross weight (kg)	162
		Net weight (kg)	147
Build		Energy	
Cabinet type	Standard	Climate Class	5
Finish ext/int	S/S & Alu	Energy grade	E
Number of sections	2	EEI	79.13
Section configuration	Left hinge-Right hinge	AEC (kWh)	1627
System	Integral	GWP	3
		Energy consumption (kWh/24hr)	4.457



XR415H: 410L Slimline Cabinet Refrigerator

Single door refrigerated cabinet

33-111

Why choose this product

- Robust refrigeration at an affordable price
- Microprocessor controller provides simple and accurate temperature control to ensure your food retains its quality and texture
- Hard wearing stainless steel finish is stylish and practical
- In stock and available now for immediate shipping
- Full Foster warranty included

Specification

Technical

Refrigerant	R290
Temperature	Refrigerator +3/+5°C
Electrical supply	230/50/1
Fuse rating (A)	10
Current (A)	1.4
Power (W)	220
Refrigerant mass (g)	85
Thermal heat rejection (W)	190

Dimensions

Height (mm)	1875
Width (mm)	600
Depth (mm)	660
Gross volume (ltr)	410
Net volume (ltr)	284.83
Leg type	Roller castors rear, levelling bolts front
Gross weight (kg)	92
Net weight (kg)	81

Build

Cabinet type	Standard
Finish ext/int	S/S & Alu
Number of sections	1
Section configuration	Right hinge
System	Integral

Energy

Climate Class	4
Energy grade	E
EEL	81.09
AEC (kWh)	873
GWP	3
Energy consumption (kWh/24hr)	2.393

XR415H: 410L Slimline Cabinet Refrigerator



Single door refrigerated cabinet

33-178

Why choose this product

- Robust refrigeration at an affordable price
- Microprocessor controller provides simple and accurate temperature control to ensure your food retains its quality and texture
- Hard wearing stainless steel finish is stylish and practical
- In stock and available now for immediate shipping
- Full Foster warranty included

Specification

Technical

Refrigerant	R290
Temperature	Refrigerator +3/+5°C
Electrical supply	230/50/1
Fuse rating (A)	10
Current (A)	1.4
Power (W)	220
Refrigerant mass (g)	85
Thermal heat rejection (W)	190

Dimensions

Height (mm)	1875
Width (mm)	600
Depth (mm)	660
Gross volume (ltr)	410
Net volume (ltr)	284.83
Leg type	Roller castors rear, levelling bolts front
Gross weight (kg)	92
Net weight (kg)	81

Build

Cabinet type	Standard
Finish ext/int	S/S & Alu
Number of sections	1
Section configuration	Left hinge
System	Integral

Energy

Climate Class	4
Energy grade	E
EEI	81.09
AEC (kWh)	873
GWP	3
Energy consumption (kWh/24hr)	2.393



XR415G: 410L Glass Door Cabinet Refrigerator

Single glass door refrigerated cabinet with light

33-115

Why choose this product

- Robust refrigeration at an affordable price
- Microprocessor controller provides simple and accurate temperature control to ensure your food retains its quality and texture
- Hard wearing stainless steel finish is stylish and practical
- Supplied with glass door for optimum visibility of stored product
- Full Foster warranty included

Specification

Technical

Refrigerant	R290
Temperature	Display -1/+7°C
Electrical supply	230/50/1
Fuse rating (A)	10
Current (A)	1.4
Power (W)	220
Refrigerant mass (g)	85

Dimensions

Height (mm)	1875
Width (mm)	600
Depth (mm)	660
Gross volume (ltr)	410
Net volume (ltr)	284.8
Leg type	Roller castors rear, levelling bolts front
Gross weight (kg)	105
Net weight (kg)	94

Build

Cabinet type	Glass
Finish ext/int	S/S & Alu
Number of sections	1
Section configuration	Right hinge
System	Integral

Energy

Climate Class	3
Energy grade	B
AEC (kWh)	631
GWP	3
Min - max temperature (°C)	-1/5
Energy consumption (kWh/24hr)	1.7

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: fdf@nt-rt.ru || сайт: <https://foster.nt-rt.ru/>